UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/512,119	10/21/2004	Matthias Wendt	DE 020103	2393	
	590 12/20/2006 I ECTILAI DOODEDT	V & STANDARDS	EXAMINER		
PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001			DE 020103 2393 EXAMINER ROSENAU, DEREK JOHN ART UNIT PAPER NUMBER 2834 DELIVERY MODE	ROSENAU, DEREK JOHN	
BRIARCLIFF M	IANOR, NY 10510		DE 020103 2393 EXAMINER ROSENAU, DEREK JOHN ART UNIT PAPER NUMBER 2834	PAPER NUMBER	
			2834		
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MON	THS	12/20/2006	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)	
	10/512,119	WENDT ET AL.	
Office Action Summary	Examiner	Art Unit	
	Derek J. Rosenau	2834	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	th the correspondence address	••
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFi after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	ODATE OF THIS COMMUNIC R 1.136(a). In no event, however, may a re riod will apply and will expire SIX (6) MON tatute, cause the application to become AB	CATION. apply be timely filed THS from the mailing date of this communic ANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 1	0 October 2006.	•	
2a)⊠ This action is FINAL . 2b)□ -	This action is non-final.		
3) Since this application is in condition for allo			ts is
closed in accordance with the practice und	er <i>Ex parte Quayle</i> , 1935 C.D	. 11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 10-22 is/are pending in the application	ation.		
4a) Of the above claim(s) is/are with	drawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>10-22</u> is/are rejected.			
7) Claim(s) is/are objected to.	d/an alaatian raguiramant		
8) Claim(s) are subject to restriction ar	na/or election requirement.		
Application Papers			
9)☐ The specification is objected to by the Exan	niner.		
10) The drawing(s) filed on is/are: a)	accepted or b) objected to l	by the Examiner.	
Applicant may not request that any objection to			»
Replacement drawing sheet(s) including the co			
11) ☐ The oath or declaration is objected to by the	e Examiner. Note the attached	Office Action of form P10-15	۷.
Priority under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 	nents have been received. nents have been received in A	pplication No	
3. Copies of the certified copies of the		received in this National Stage	2
application from the International Bu * See the attached detailed Office action for a		received	
See the attached detailed Office action for a	ist of the certified copies not	received.	
Attachment(s)			
 Notice of References Cited (PTO-892) D Notice of Draftsperson's Patent Drawing Review (PTO-948) 	· 	iummary (PTO-413) s)/Mail Date	
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		nformal Patent Application	
. upor recognition Date	-/	<u></u>	

Application/Control Number: 10/512,119 Page 2

Art Unit: 2834

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 10-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakurai (US 4965532) in view of Sakurai et al. (US 6569109).
- 3. With respect to claim 10, Sakurai discloses a starting-process controller for starting a piezomotor (Fig 3), comprising: a voltage-controlled oscillator (item 117), a power output stage (item 13), a resonance converter (column 9, lines 39-46), a phase comparator (item 15), a phase-locked loop filter (item 16), and an adjustable time-delay element (item 12), wherein the VCO generates the control signals required for the power output stage (Fig 3), the power output stage provides stepped output voltage (column 9, lines 39-46), the resonance converter converts the stepped output voltage from the power output stage into a motor voltage for driving the piezomotor (column 9, lines 39-46), the motor voltage being sinusoidal and having an associated motor current when the piezomotor is driven (column 9, lines 39-46), the phase-locked loop filter is configured to smooth the phase-difference signal so as to provide a smoothed signal that controls the VCO (column 13, lines 5-12), and the adjustable time-delay element providing for controlled reduction of the phase difference between the motor voltage and a reference in a start-up process for starting up the piezomotor from an initially large

Application/Control Number: 10/512,119

Art Unit: 2834

starting angle at initiation of the start-up process towards a smaller operating angle at an operating point, the adjustable time-delay element effecting reduction in the form of one of: (i) a preset linear gradient, the linear gradient having a preset starting delay, a preset final delay, and a preset, fixed change in delay per selected time increment over the duration of the start-up process, such that, at initiation of the start-up process, the starting delay applies to generate a start-up phase angle toward enabling reliable start-up of the piezomotor and, at the operating point, the final delay applies to generate an operating phase angle toward enabling reliable operation of the piezomotor (column 7, line 48 through column 8, line 16), or (ii) ..., or (iii) a preset combination of a linear gradient and a progressive curve.

Sakurai does not disclose expressly that the phase comparator compares the motor current with the phase of the motor voltage, and provides a phase-difference signal representing a measure of the phase difference between motor current and the motor voltage.

Sakurai et al. teaches a controller for a piezoelectric device in which a phase comparator compares the motor current with the phase of the motor voltage, and provides a phase-difference signal representing a measure of the phase difference between motor current and the motor voltage (column 12, lines 50-55).

At the time of invention, it would have been obvious to a person of ordinary skill in the art to combine the voltage-current phase comparator of Sakurai et al. with the starting-process controller of Sakurai for the benefit of eliminating the need for an additional reference signal.

Page 4

Application/Control Number: 10/512,119

Art Unit: 2834

- 4. With respect to claim 11, the combination of Sakurai and Sakurai et al. discloses the starting-process controller as claimed in claim 10. Sakurai discloses that the reduction in phase angle during the start-up process is in the form of a ramp (column 7, lines 56-62). The reference frequency, which is phase locked with the voltage, is varied monotonously, which results in the phase angle being varied in the form of a ramp.
- 5. With respect to claim 12, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 10. Sakurai et al. discloses that the adjustable-time delay element comprises a digital counter (item 123), and wherein the digital counter effects the controlled reduction in phase angle between the motor voltage and the motor current in the form of the linear gradient, the progressive curve, or the combination of such gradient and curve (column 12, line 50 through column 13, line 23).
- 6. With respect to claim 13, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 12. Sakurai et al. discloses that, at selected times during the start-up process, the digital counter has respective starting values such that the starting value of the digital counter at a particular selected time fixes the respective delay as to the motor current, the delay generating a phase angle at such selected time (column 12, line 50 through column 13, line 23).
- 7. With respect to claim 14, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 13. Sakurai et al. discloses that the digital counter counts from each starting value to a preset final count, the final count being associated with the passing on of the motor current subject to the respective delay (column 12, line 50 through column 13, line 23).

Application/Control Number: 10/512,119

Art Unit: 2834

- 8. With respect to claim 15, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 13. Sakurai et al. discloses a start-up process delay controller (item 125), the start-up process delay controller controlling the adjustable time-delay element by one or both of (i) providing the starting values to the digital counter of the adjustable time-delay element (column 13, lines 7-9) and/or (ii) having a timing interval associated with the selected time increment between changes in delay.
- 9. With respect to claim 16, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 10. Sakurai et al. discloses a start-up process delay controller (item 125), the start-up process delay controller controlling the adjustable time-delay element by one or both of (i) providing one or more of the starting delay, the final delay and/or the change in delay (column 13, lines 7-14).
- 10. With respect to claim 17, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 16. Sakurai et al. discloses that the start-up process delay controller comprises a reference counter that counts oscillations of a reference frequency, the reference frequency forming a clock signal of the reference counter (column 12, line 50 through column 13, line 23).
- 11. With respect to claim 18, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 17. Sakurai et al. discloses that the counts made by the reference counter are used directly for setting the delay (column 12, line 50 through column 13, line 23).

Page 6

Application/Control Number: 10/512,119

Art Unit: 2834

- 12. With respect to claim 19, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 17. Sakurai discloses that the counts mad by the reference counter are converted into a value for setting the delay column 12, line 50 through column 13, line 23).
- 13. With respect to claim 20, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 17. Sakurai discloses that the counts made by the reference counter are converted into settings for the delay by means of a table of a memory device (item 125 and column 12, line 50 through column 13, line 23).
- 14. With respect to claim 21, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 10. Sakurai et al. discloses that the starting process is monitored by a programmable control device (item 125).
- 15. With respect to claim 22, the combination of Sakurai and Sakurai et al. discloses the starting-process controller of claim 21. Sakurai et al. discloses that the programmable control device monitors the phase delay digitally (CPU 125 is a digital computer).

Response to Arguments

16. Applicant's arguments with respect to claims 10-22 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Application/Control Number: 10/512,119

Art Unit: 2834

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Derek J. Rosenau whose telephone number is 571-272-8932. The examiner can normally be reached on Monday thru Thursday 7:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/512,119 Page 8

Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Derek J Rosenau Examiner Art Unit 2834

DJR 12/11/2006.

> DARZEN SYNDERG SUPERISONY IN EUR EVILLIER TECHNOLOGY CENTER 2800